

# (12) United States Patent Willimann et al.

(10) Patent No.:

US 6,559,236 B1

(45) Date of Patent:

May 6, 2003

(54)	METHOD FOR PRODUCING AQUEOUS
	DISPERSIONS OF (CO)POLYMERS,
	DISPERSIONS OBTAINED USING SAID
	METHOD, REDISPERSIBLE POWDERS
	WHICH CAN BE OBTAINED FROM SAID
	DISPERSIONS AND USE THEREOF

(75) Inventors: Hongli Willimann, Merenschwand (CH); Robert Koelliker, Oberkirch

(CH)

(73) Assignee: National Starch and Chemical Investment Holding Corporation,

New Castle, DE (US)

Subject to any disclaimer, the term of this (\*) Notice: patent is extended or adjusted under 35

U.S.C. 154(b) by 0 days.

(21) Appl. No.: 09/744,089

(22) PCT Filed: Jul. 21, 1999

(86) PCT No.: PCT/EP99/05206

§ 371 (c)(1),

May 11, 2001 (2), (4) Date:

(87) PCΓ Pub. No.: WO00/05283

PCT Pub. Date: Feb. 3, 2000

#### (30)Foreign Application Priority Data

(51)	Int. Cl.7	C08F 271/00; C08L 9/04
(52)	U.S. Cl.	525/293; 524/458; 524/457;
		524/460; 524/564

Jul. 22, 1998 (DE) ...... 198 33 066

(58) Field of Search ...... 524/458, 457,

524/460, 464; 525/293

### (56)References Cited

# U.S. PATENT DOCUMENTS

5,403,894 A 5,925,447 A	•	2/1994 4/1995 7/1999	Maslanka et al	524/272 525/285 428/323
6,011,103 A	*	1/2000	Inoue	524/458

## FOREIGN PATENT DOCUMENTS

EP	0 630 909	12/1994	C08F/2/06
wo	WO 96 41825	12/1996	C08F/257/02

\* cited by examiner

Primary Examiner-James J. Seidleck Assistant Examiner-Olga Asinovsky

(74) Attorney, Agent, or Firm-Thomas F. Roland, Esq.

(57) **ABSTRACT** 

Process for the preparation of aqueous dispersions of (co) polymerizates using a polymer with cationic functionality, optionally accompanied by the use of conventional additives, the polymer with cationic functionality being obtained by (co)polymerization in an aqueous medium of olefinically unsaturated (co)monomers, in which at least one (co)monomer has a cationic functionality, further (co) monomers are added and polymerization takes place in the presence of suitable initiators, wherein the polymers and/or (co)monomers are so chosen and the process is so controlled that a (co)polymerizate particle with heterogeneous morphology is formed and the dispersed (co)polymerizate obtained has a glass transition temperature Tg of more than about 50° C. The invention also relates to a process in which the polymer with cationic functionality is formed in situ in the presence of a seed. Redispersible powders and the use thereof are also described.

19 Claims, No Drawings